HDCS CENTRAL MANAGEMENT SOFTWARE

- Support Honeywell HD-DVR-7016 , HD-NVR-108/116, HUSS-E2X/E4X/E8X
- Up to 2,000 video channels connection
- Support up to 64 live view windows on one screen; 144 windows with 4 screens
- Up to 36-channel playback on one screen
- 16 channels local recording
- Devices management, auto search configuration and status monitoring
- Alarm management and inter linkage control
- PTZ control
- Video Snap-shot
- E-map
- Can be viewed with HonView Touch app (Android and iPhone app available)
- Bundled with HD-DVR-7016, HD-NVR-108/116, HUSS-E2X/ E4X/E8X for free

EKEF7? AH7DH;7I

HDCS is the central management software designed for Honeywell's HD-DVR-7016 HD-NVR-108/116 and HUSS-E2X/ E4X/E8X to connect multiple devices for video surveillance. Featuring a user-friendly interface, HDCS can be deployed for device add-on, configuration, status monitoring, alarm event checking, video live view and recording, as well as E-map central management system.

This intelligent system also features device auto search and configuration functions which enhance efficiency on monitoring and operation. HDCS supports 64 live view windows on one screen. It also supports 144 live view windows with 4 screens, which efficiently develops a cost-effective and high performance video system by utilizing the network and its advanced functionalities.



Market Opportunities


HDCS is a feature-rich central management software to perform device configuration, status monitoring, online control, alarm management, video recording and playback management etc on the terminal. It is suitable for medium and large scale surveillance installed with multiple DVR or NVR for more efficient operation by different level of administrators. HDCS is ideal for applications in buildings, hotels, hospitals, factories, shopping malls, car parks and so forth.



Model	HDCS
System	
Supported DVR	HD-DVR-7016, HD-NVR-108/116, HUSS-E2X/E4X/E8X
Max Video Channels Connection	2000 channels
Max Register Device	256 devices
Device Management	Auto find, add, delete, device group, reboot, setup
User Management	Privileges set based on user and role, according to module & device
Health Report	Device status, alarm info, HDD info
Video Display Split	1/4/9/13/16/25/36/49/64
Management	
PTZ Control	Pan, Tilt, Zoom, Focus, Iris, Preset, Tour, Pattern
Live View Operation	Snapshot, record, audio, talk, instant playback, E-PTZ, tour task
Video Playback	36
Search Type	Time, motion detection, alarm, smart search
Local Recording	Yes
Sound Management	Warning audio by alarm
E-map	Support with 64 layouts
E-map format	JPEG/BMP
Alarm Type	External alarm, video loss, motion detection, camera masking and etc.
Alarm Trigger	Trigger recording, PTZ movement, tour, relay output
Minimum PC Requirement	
CPU	Intel Core2Duo E6750, RAM : 2GB above
Memory	512MB
HDD	80GB above
OS	Window XP/Vista/7/8, DirectX 9.0 above
Local Recording	1024 x 768 or above

Note: Honeywell reserves the right, without notification, to make changes in product design or specifications.

SYSTEM DIAGRAM



For more information, https://honeywellbuildings.in Call: 1-800-103-0339 Email: HBT-Indiabuildings@honeywell.com

Honeywell HBT India Buildings Unitech Trade Center, 5th Floor, Sector-43, Block C, Sushant Lok Phase - I, Gurgaon - 122 002

www.honeywell.com



HDCS CENTRAL MANAGEMENT SOFTWARE

